

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	158	726/25.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:21
L2	401	726/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:21
S1	344	neural same sub-model\$2 or submodel\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 14:19
S2	113	neural same sub-model\$2 or submodel\$2 and detect\$3 and prevent\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:47
S3	84	neural same sub-model\$2 or submodel\$2 and detect\$3 and prevent\$3 and @ad < "20010315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:48
S4	84	neural same sub-model\$2 or submodel\$2 and (sub-model\$2 or submodel\$2) and detect\$3 and prevent\$3 and @ad < "20010315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:48
S5	84	neural same sub-model\$2 or submodel\$2 and (sub-model\$2 or submodel\$2) and detect\$3 and prevent\$3 and @ay < "2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:49
S6	92	neural same sub-model\$2 or submodel\$2 and (sub-model\$2 or submodel\$2) and detect\$3 and prevent\$3 and @ay <= "2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:50
S7	92	neural same sub-model\$2 or submodel\$2 and (sub-model\$2 or submodel\$2) and detect\$3 and prevent\$3 and @ay <= "2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 15:53

EAST Search History

S9	3	neural same (sub-model\$2 or submodel\$2) and (sub-model\$2 or submodel\$2) and detect\$3 and prevent\$3 and @ay <= "2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:46
S10	11	neural and train\$3 and (sub-model\$2 or submodel\$2) and (sub-model\$2 or submodel\$2) and detect\$3 and prevent\$3 and @ay <= "2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:07
S11	862	706/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:45
S12	595	706/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:45
S13	356	706/15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:45
S14	41	706/922.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:47
S16	8622	717/100-167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:46
S17	4753	707/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:46
S18	12046	("rule-based" "data mining" "case-based")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:48
S19	53	("rule-based" and "data mining" and "case-based")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:48

EAST Search History

S20	40	("rule-based" and "data mining" and "case-based") and model and neural	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/13 18:48
S21	12	("rule-based" and "data mining" and "case-based") and model and neural and (fraud\$5) and (detect\$3 prevent\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:04
S22	63	706/925.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:46
S23	862	706/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:47
S24	341	(neural sub-model\$2 submodel\$2 sub-model\$2 submodel\$2 detect\$3 prevent\$3 detect\$3 prevent\$3) and @ay <"2000" and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:48
S25	41	706/922.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:48
S26	26	(neural sub-model\$2 submodel\$2 sub-model\$2 submodel\$2 detect\$3 prevent\$3 detect\$3 prevent\$3) and @ay <"2000" and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:48
S27	14179	(neural sub-model\$2 submodel\$2 sub-model\$2 submodel\$2 detect\$3 prevent\$3 detect\$3 prevent\$3) and @ay <"2000" and "s15"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:48
S28	8630	717/100-167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:48
S29	2056	(neural sub-model\$2 submodel\$2 sub-model\$2 submodel\$2 detect\$3 prevent\$3 detect\$3 prevent\$3) and @ay <"2000" and S28	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:48

EAST Search History

S30	4756	707/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:48
S31	823	(neural sub-model\$2 submodel\$2 sub-model\$2 submodel\$2 detect\$3 prevent\$3 detect\$3 prevent\$3) and @ay <"2000" and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:48
S32	341	(neural sub-model\$2 submodel\$2 sub-model\$2 submodel\$2 detect\$3 prevent\$3 detect\$3 prevent\$3) and @ay <"2000" and S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:48
S33	595	706/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:48
S34	387	(neural sub-model\$2 submodel\$2 sub-model\$2 submodel\$2 detect\$3 prevent\$3 detect\$3 prevent\$3) and @ay <"2000" and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:49
S35	356	706/15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:49
S36	161	(neural sub-model\$2 submodel\$2 sub-model\$2 submodel\$2 detect\$3 prevent\$3 detect\$3 prevent\$3) and @ay <"2000" and S35	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 09:49
S37	29	neural same (sub-model\$2 or submodel\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:10
S38	2	((case adj bas\$2) or "case-based") and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:10
S39	4	((data adj min\$3) or "data adj mining") and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:11

EAST Search History

S40	9	((rule adj bas\$2) or "rule-based") and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:11
S41	1	S38 and S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:11
S42	1	S38 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:09
S43	1	S39 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:09
S44	2264	neural same train\$3 same model	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:53
S45	106	((case adj bas\$2) or "case-based") and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:10
S46	220	((data adj min\$3) or "data adj mining") and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:11
S47	333	((rule adj bas\$2) or "rule-based") and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:11
S48	27	S45 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:11
S50	31	S45 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:11

EAST Search History

S51	63	S47 and S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:14
S52	12	S45 and S46 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:53
S54	12	S47 and S46 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 18:15
S55	49	neural same train\$3 same model same train\$3 and (fraud\$5 deceitfulness) and transact\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:07
S56	863	706/45.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:04
S57	595	706/20.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:05
S58	356	706/15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:05
S60	4760	707/1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:05
S61	8656	717/100-167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:06
S63	1842	707/1.ccls. and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:06

EAST Search History

S64	231	717/100-167.ccls. and (neural or AI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:07
S65	123	717/100-167.ccls. and (neural or AI) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:07
S66	62	S60 and (neural or AI) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:07
S67	193	S58 and (neural or AI) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:07
S68	409	S57 and (neural or AI) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:07
S69	212	S56 and (neural or AI) and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:07
S70	24	neural same train\$3 same model same train\$3 and (fraud\$5 deceitfulness) and transact\$3 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:41
S71	13	(rule) and case and mining and neural same train\$3 same model same train\$3 and (fraud\$5 deceitfulness) and transact\$3 and @ay <="2000"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 19:15
S72	24	neural same train\$3 same model same train\$3 and (fraud\$5 deceitfulness) and transact\$3 and @ay <="2000" and (binar\$3 format mining rule based case score fuzzy logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 12:39

EAST Search History

S73	24	neural same train\$3 same model same train\$3 and (fraud\$5 deceitfulness) and transact\$3 and @ay <="2000" and (binar\$3 format mining rule based case score fuzzy logic updat\$3 modif\$8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 12:42
S74	24	neural same train\$3 same model same train\$3 and (fraud\$5 deceitfulness) and transact\$3 and @ay <="2000" and (binar\$3 format mining rule based case score fuzzy logic updat\$3 modif\$8 neural train\$3 model fraud\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 13:20
S75	16	(US-20030126104-\$ or US-20010011259-\$ or US-20020147695-\$ or US-20050246306-\$).did. or (US-5692107-\$ or US-5727127-\$ or US-5819226-\$ or US-6336109-\$ or US-6026397-\$ or US-6493637-\$ or US-6535728-\$ or US-6539352-\$). did. or (EP-1041264-\$).did. or (EP-586999-\$ or DE-4338615-\$ or EP-1041264-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2006/03/17 13:19
S76	16	S75 and (binar\$3 format mining rule based case score fuzzy logic updat\$3 modif\$8 neural train\$3 model fraud\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/17 13:21